

# Aussie Turbo Master Turbo Lances

Aussie turbos save water and cut cleaning times by using the water velocity to increase the effective working pressure (EWP).

**PRICES SLASHED UP TO 65% OFF**



AUSSIE TURBO MASTER 140

## AUSSIE TURBO MASTER 140 ▲

- Domestic series (140 BAR)
  - 2,150 psi, 60 lpm
  - EWP up to 3,000 psi
  - Inlet (lance) M22
- Suits: Concept F140, Cougar, AB20, AB22  
Nozzle size: 035  
CTN140-035 **\$98 +GST**



AUSSIE TURBO MASTER 200

## AUSSIE TURBO MASTER 200 ▲ ◆

- Professional series, lance & head (or head only)
- 3,700 psi, 255 BAR, 40 lpm
  - EWP up to 4,785 psi
  - Max temp: 90°C
  - Inlet (lance) M22 x 1.5M

CTN200-035 lance & head **\$175 +GST**  
CTN200-035H head only **\$135 +GST**

CTN200-045 lance & head **\$175 +GST**  
CTN200-045H head only **\$135 +GST**

CTN200-055 lance & head **\$175 +GST**  
CTN200-055H head only **\$135 +GST**

Repair kit - CTN200-\_\_REP **\$79 +GST**



AUSSIE TURBO MASTER 350

## AUSSIE TURBO MASTER 350 ● ◆

- Professional series, lance & head (or head only)
- 5,000 psi, 350 BAR, 40 lpm
  - EWP up to 8,500 psi
  - Max temp: 90°C
  - Inlet (lance) M22 x 1.5M

CTN350-030 lance & head **\$320 +GST**  
CTN350-030H head only **\$280 +GST**

CTN350-035 lance & head **\$320 +GST**  
CTN350-035H head only **\$280 +GST**

CTN350-045 lance & head **\$320 +GST**  
CTN350-045H head only **\$280 +GST**

CTN350-055 lance & head **\$320 +GST**  
CTN350-055H head only **\$280 +GST**

CTN350-065 lance & head **\$320 +GST**  
CTN350-065H head only **\$280 +GST**

CTN350-085 lance & head **\$320 +GST**  
CTN350-085H head only **\$280 +GST**

Repair kit - CTN350-\_\_REP **\$89 +GST**



## 500 BAR TURBO KIT

c/w lance, gun, nozzle & nipple to quick couple to hose. EWP up to 12,000 psi

CTN500-020GLK suits Raptor 12 **\$1,798 +GST**

CTN500-025GLK suits Raptor 16 **\$1,798 +GST**

## AUSSIE TURBO MASTER 500

Professional series, head only

- 7,200 psi, 500 BAR, 40 lpm
- Max temp: 90°C
- Inlet 1/4" NPT F



500 BAR TURBO HEAD

CTN500-020 - Suits: Raptor 12 **\$1,350 +GST**  
CTN500-025 - Suits: Raptor 16 **\$1,350 +GST**

Repair kit CTN500-\_\_REP **\$899 +GST**

**TOP QUALITY LEADING GERMAN MANUFACTURER**

# High Pressure Nozzles



## HIGH PRESSURE NOZZLES... CHANGE THAT NOZZLE!

Worn nozzles cause loss of pressure and can lead to machine failure. Nozzles should be changed on a regular basis.

### LASER CUT 'M' SERIES NOZZLE 5 PACKS

Stock Code	Qty in pack	Tip angle	Nozzle size	List Price exc GST
C915030M-P1	5	15	30	\$90
C915035M-P1	5	15	35	\$90
C915045M-P1	5	15	45	\$90
C915050M-P1	5	15	50	\$90
C915055M-P1	5	15	55	\$90
C915060M-P1	5	15	60	\$90
C915065M-P1	5	15	65	\$90
C915500MSS-P1	5	Detergent nozzles		\$90

### SINGLE BUY NOZZLES

Stock Code		List Price exc GST
C code Q	Quick Tip Nozzle (Q series)	\$21
C code M	Laser Cut Nozzle (M series)	\$21
C915500MSS	M Series stainless steel detergent nozzle, 1/4" M	\$21
C965400Q	Q Series detergent nozzle (black)	\$21

### QUIK TIP 'Q' SERIES NOZZLE 5 PACKS

Stock Code	Qty in pack	Nozzle size	List Price exc GST
C105082Q	5	30	\$90
C105083Q	5	35	\$90
C105084Q	5	40	\$90
C105085Q	5	45	\$90
C105087Q	5	55	\$90



QUIK TIP NOZZLE PACK

### Quik Tip 'Q' Series Colour Guide

- Red:** 0° Pencil jet for maximum effect.
- Yellow:** 15° nozzle for cleaning heavily stained areas.
- Green:** 25° General purpose nozzle for larger areas.
- White:** 40° For lightly stained flat surfaces.
- Black:** 65° Low pressure detergent nozzle.

### GP FIXED QUICK COUPLING

Max pressure 5,000 psi (350 BAR), with EPDM seal, connect Aussie Quik Tip nozzles to end of lance

	Stock Code	Inlet	Outlet	List Price exc GST
A	CD10001	1/4" QC	1/4" NPT-F	\$21
B	CD10002	1/4" QC	1/4" NPT-M	\$21

**HOW TO ORDER THE CORRECT NOZZLE**

**C 9 40 030 M**



# Aussie High Pressure Accessories... new models, lowest prices

**PRICES SLASHED  
UP TO 65% OFF**



## NIPPLES

Permissible pressure 8,000 psi (550 BAR), coned 60°C, male/male (water use only, otherwise 5,000 psi)

Stock Code	Inlet	Outlet	List Price exc GST
AA-A-0404	¼"	¼"	\$5
AA-A-0604	¾"	¼"	\$7
AA-A-0606	¾"	¾"	\$7
AA-A-0608	¾"	½"	\$7
AA-A-0808	½"	½"	\$8
AA-A-0812	½"	¾"	\$14
AA-A-1212	"	¾"	\$15



## FIXED QUICK COUPLING REDUCERS

Max pressure 4,000 psi (275 BAR), max flow 30 lpm, max temp 150°C (Long thread)


Stock Code	Inlet	Outlet	List Price exc GST
C1500.05	¼ G- F	M22x1.5M	\$7
C1500.06	¼ G- M	M22x1.5M	\$7
C1500.180	¾ G- F	M22x1.5M	\$7
C1500.24	¾ G- M	M22x1.5M	\$7
M212003660 (short thread)	M22 M	M22x1.5M	\$7



## MV QUICK COUPLINGS

Max pressure 4,000 psi (275 BAR), max flow 30 lpm, max temp 150°C (Short thread)


Stock Code	Inlet	Outlet	List Price exc GST
M212003550	¼ G- M	M22x1.5F	\$15
M212003530	¼ G- F	M22x1.5F	\$15
M212003540	¾ G- M	M22x1.5F	\$15
M212003520	¾ G- F	M22x1.5F	\$15



## PA AR8 QUICK COUPLINGS

Max pressure 5,000 psi (350 BAR), max flow 30 lpm


	Stock Code	Inlet	Outlet	List Price exc GST
B	MPA26065030	¼" BSP M	M24 F	\$35
B	MPA26065050	¾" BSP M	M24 F	\$35
A	MPA26063020	¼" BSP F	M24 M	\$18
A	MPA26063040	¾" BSP F	M24 M	\$18
A	MPA26063050	¾" BSP M	M24 M	\$18



## PA AR9 QUICK COUPLINGS

Max pressure 8,700 psi (600 BAR), max flow 80 lpm, 160°C

	Stock Code	Inlet	Outlet	List Price exc GST
A	MPA26094070	½ BSP M	M24x 1.5F	\$50
B	MPA26095050	¾ BSP M	M24x 1.5F	\$120



## SNAP COUPLINGS (BRASS)

Max pressure 4,060 psi (275 BAR), max flow 40 lpm, max temp 90°C

Stock Code	Inlet	Outlet	List Price exc GST
C3806.07	Type A	3/8f	\$18
C3004.16	Type B	3/8f	\$29

## SWIVELS



Stock Code	Description	List Price exc GST
MPA26105000	Brass, heavy duty ¾m x ¾f, max pressure 4,050 psi	\$39
MPA26106100	Stainless heavy duty 3/8m x ¾f, max pressure 5,640 psi	\$75
A5004.006	½" x ¾" (to suit hose reels, 5000 psi)	\$150
MPA30584000	SW 600 BAR, 8,700 psi, ¾" F inlet, ¾" M outlet	poa



## GAUGES

Stock Code	Description	List Price exc GST
AGCDR0102	Gauge, Inlet ¼ m, rating 0-6,000 psi (415 BAR)	\$39
AGAUGE700BAR	700 BAR pressure gauge	\$39
AGAUGE100BAR	1,000 BAR pressure gauge	\$315

AUSTRALIA'S BIGGEST STOCK OF HIGH PRESSURE ACCESSORIES INCLUDING PA



## PROFESSIONAL GRIT BLAST KITS

Grit blasting kits, fast and easy stripping of rust and paint. Max pressure 4,000 psi (275 BAR), Tungsten carbide tip, 465mm zinc probe, 13m hose, 400mm lance with M22 coupling & 035 nozzle.

Stock Code	Description	Inlet	List Price exc GST
M202903460	TS 33 GRIT BLAST KIT	M22	\$239



## HEAVY DUTY GRIT BLASTER


GRIT BLAST KIT

Stock Code	Description	List Price exc GST
TPS450/_ _ _GLK	TPS 450 Kit (500 Bar, 7,300 PSI) complete grit blast kit, c/w probe, plastic hose, lance, gun, nozzle & nipple for quick coupling (specify nozzle size required)	\$1,195
REPLACEMENT GRIT BLAST HEAD OR PROBE ...		
C4700.18*	TPS 450 (500 BAR, 7300 PSI) grit blast head only, 1/4" G-F, max temp 90°C, nozzle dia: 1/4-15° flat	\$599
C4604.04	20mm hose barb, length 580mm, stainless steel probe	\$99

\* Note: Nozzle not included

## UNLOADER/BYPASS VALVES

Stock Code	Description	Inlet	Outlet	By-pass	List Price exc GST
A C4910.10 Blue	3,650 psi (250 BAR), 30 lpm	3/8" F	3/8" F	3/8" F	\$135
B APRI20ADJ	2,000 psi (140 BAR), 15 lpm adjustable, Bertolini	1/2" M	M22 x 1.5M	2 x 3/8"	\$164
C APRI40ADJ	4,000 psi (275 BAR), 21 lpm adjustable, Bertolini	1/2" M	M22 x 1.5M	3/8" 1/2"	\$203
D BVB80/280	PA 4,050 psi (275 BAR), 80 lpm	1/2" F	1/2" F	2 x 1/2" F	\$225
E Pulsar Zero MPA60240000	PA 4,000 psi (275 BAR), 40 lpm flow, soft start unloader	3/8" F	3/8" F	2 x 3/8" F	\$235
F BVB350	PA 5,100 psi (350 BAR), 25 lpm	3/8" M	3/8" F	1/2" F	\$241
G BVB53	PA 7,250 psi (500 BAR), 80 lpm	1/2" F	1/2" F	1/2" F	\$1,750
VB60/600 Zero	PA 8,700 psi (600 BAR), 60 lpm	1/2" F	1/2" F	1/2" F	POA



## PA THERMAL DUMP VALVES

Dumps water at pre-determined temperature to protect pump when on bypass. Dump temp 63°C, max pressure 145 psi, hose barb 7mm

Stock Code	Inlet	List Price exc GST
MPA60063000	1/4"	\$27
MPA60063050	3/8"	\$27
MPA60063070	1/2"	\$27



## SAFETY VALVES

Protects pump and unloader from pressure spikes. A must for all professional machines.

Stock Code	Inlet	Pressure (psi)	Max flow (lpm)	Max temp °C	List Price exc GST
MTM00033003 (MG1000)	3/8" M	3600 (250 BAR)	30	90	\$35
MPA60156000 (VS240)	3/8" M	4000 (275 BAR)	24	60	\$55
MPA60058000 (VS350)	3/8" BSP	5650 (390 BAR)	25	90	\$115
BVS500	1/2" BSP	7250 (500 BAR)	80	90	\$419



## CHANGEOVER NOZZLE

Use two nozzles, different angles... convenience! Max pressure 2900psi (200 BAR), max flow 30 lpm. Max temp 150°C, 1/4" female.



Stock Code	Inlet	List Price exc GST
C4703.00	Both ends 1/4" female	\$49

## DETERGENT INJECTOR

Max pressure 3650 psi (250 BAR), Max temp 90°C

Stock Code	Inlet	Outlet	Type	l/min	List Price exc GST
C3802.44	3/8" F BSP	3/8" M	Reg	11-15	\$21
C3802.45	3/8" F BSP	3/8" M	Reg	15-20	\$21
MTM00029143	3/8" M BSP	M22	Reg	16-21	\$39



**VIEW THE FULL RANGE ONLINE AT AUSSIEPUMPS.COM.AU**